09/446 888



Home | Login | Logout | Access Information | Alerts | Purchase History | \*\*\* C

Welcome United States Patent and Trademark Office

Search Session History

EROWSE

SEARCH

IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Fri, 7 Sep 2007, 12:15:23 PM EST

Search Query Display

Recent Search Queries

Results

(((((second <or> another) <near/2> spread) <near/7> (common <or> group <or>
#1 stations <or> sites) <near/7> (identify <or> id))<in>metadata)) <and> (pyr >=
1950 <and> pyr <= 1998)</pre>

Help Contact Us Privac

& Copyright 2009 (£

Inspec

	Hits	Search Text	DBs
		(spread\$7 near2 (cod\$7 or	US-PGPUB;
1	1	(identi\$7 or id\$2)) near2 group\$7	USPAT; EPO; JPO;
		near2 (base adj stations\$7)) and	DERWENT;
		@ad<"19980507"	IBM_TDB
2	456	(common or group) with ((base	US-PGPUB;
		near2 station\$7) or transceiver\$7	1
	730	or tower\$7) with cod\$3 and	DERWENT;
	,	@ad<"19980507"	IBM_TDB
	37	("5111478"   "5329547"	
•		"5345469"   "5535239"	US-PGPUB;
3		"5790588").PN. OR	USPAT; USOCR
		("6167037").URPN.	
	29	((common or group) with ((base	
		near2 station\$7) or transceiver\$7	
		or tower\$7) with cod\$3) with	US-PGPUB;
		(spread\$7 with (second\$7 or	USPAT; EPO; JPO;
4		another or other or third\$7 or	DERWENT;
		fourth\$7 or two or "2" or three or	IBM_TDB
		"3" or four or "4")) and	
		@ad<"19980507"	
	117	(accorded many) approached with	US-PGPUB;
5		(second\$3 near2 spread\$7) with (common\$3 or group\$3) and @ad<"19980507"	USPAT; EPO; JPO;
			DERWENT;
			IBM_TDB
6	297	(second\$3 near2 spread\$7) with	US-PGPUB;
		(common\$3 or group\$3 or	USPAT; EPO; JPO;
		stations or sites) and	DERWENT;
		@ad<"19980507"	IBM_TDB
	14	(second\$3 near2 spread\$7) with	US-PGPUB;
7		(common\$3 or group\$3 or	USPAT; EPO; JPO;
7		stations or sites) with (identif\$7	DERWENT;
		or id\$2) and @ad<"19980507"	IBM_TDB

	Hits	Search Text	DBs
	2	(375/130, 375/140, 375/141,	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
		375/146, 375/147, 375/219,	
•		375/220, 375/224, 375/377,	
		375/295, 375/316, 375/259,	
		455/450, 455/446, 455/447,	
		455/456.6, 455/456.1, 455/422.1,	
		455/403, 455/3.01, 455/39,	
8		455/500, 455/73, 455/91, 455/95,	
		455/130, 370/464, 370/431,	
		370/310).ccls. and (second\$3	
		near2 spread\$7) with (common\$3	
		or group\$3 or stations or sites)	·
		with (identif\$7 or id\$2) and	
		@ad<"19980507"	
	2		US-PGPUB;
		"6011787".pn.	USPAT; EPO; JPO;
9			DERWENT;
			IBM_TDB
	15	((second\$3 or another) near2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
		spread\$7) with (common\$3 or	
10		group\$3 or stations or sites) with	
		(identif\$7 or id\$2) and	
		@ad<"19980507"	
	2	(375/130, 375/140, 375/141,	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
£		375/146, 375/147, 375/219,	
		375/220, 375/224, 375/377,	
		375/295, 375/316, 375/259,	
		455/450, 455/446, 455/447,	
		455/456.6, 455/456.1, 455/422.1,	
11		455/403, 455/3.01, 455/39,	
		455/500, 455/73, 455/91, 455/95,	
		455/130, 370/464, 370/431,	
		370/310).ccls. and (second\$3	
		near2 spread\$7) with (common\$3	
		or group\$3 or stations or sites)	
		with (identif\$7 or id\$2) and	
		@ad<"19980507"	

	Hits	Search Text	DBs
	5	(FUTAKATA-TOSHIYUKI.in. or	US-PGPUB;
		TAGUCHI-TSUTOMU.in. or HIRAMATSU-YOSHIAKI.in.) and	USPAT; EPO; JPO;
12			DERWENT; IBM_TDB
		code.clm.	